



# FRONT ENTRANCE DOORS RD65

PRICE LIST  
Valid from 01/06/2019

EN

General information	3
Design	4
Glazing	9
Side elements	11
Specifications	12
Accessories	14
Order form	17

- Doors are made to measure:  
Width 850 ÷ 1250  
Height 1890 ÷ 2250
- U value: 0.73 W/m<sup>2</sup>K\*
- Insulated aluminium frame
- Double steel skin filled with PU foam door leaf
- Safety triple glazing
- Secure multiple lock
- Certificated according to security and burglary Resistance Class RC2\*



**RD65**






All doors are factory framed  
Prices are for full door-sets  
All dimensions are specified for overall frame sizes  
Depicted images are for illustration only. Actual product may vary due to constant enhancement.  
Ryterna reserves right to change specifications at any time and without prior warning.

# RD65 Design

## STANDARD OPTIONS:

● 3 point lock L3P ● Lock cylinder CWA ● Escutcheon ESC2 ● Inside handle HLW ● Standard handle H45R - 500 or H45S - 500 ● External RAL7016 or RAL9016 20% gloss, RAL7016 fine structure or Anthracite TG68/80043 ● Internal paint gloss 20% ● Door handing: left or right ● Opening inside.

DESIGN	INCLUDING	COLOUR		STANDARD SIZES	MADE TO MEASURE
		EXT	INT	W1000 x H2100	W 850 ÷ 1250
				W1100 x H2100	H 1850 ÷ 2250
	<ul style="list-style-type: none"> <li>● Smooth sheet</li> <li>● Stainless steel handle H45R-500</li> <li>● Escutcheon ESC-2</li> <li>● Lock cylinder CWA</li> <li>● Lever handle HL</li> <li>● Lock L3P</li> </ul>	RAL 7016	RAL 9016	<b>1470</b>	<b>1720</b>
		RAL 9016	RAL 9016		
		<b>RAL</b>	RAL 9016	<b>1650</b>	<b>1900</b>
		<b>WOOD</b>	RAL 9016	<b>1700</b>	<b>1950</b>
	<ul style="list-style-type: none"> <li>● Smooth sheet</li> <li>● Stainless steel handle H45R-500</li> <li>● Escutcheon ESC-2</li> <li>● Lock cylinder CWA</li> <li>● Lever handle HL</li> <li>● Lock L3P</li> <li>● Brushed aluminium appliqué</li> </ul>	RAL 7016	RAL 9016	<b>1790</b>	<b>2040</b>
		RAL 9016	RAL 9016		
		<b>RAL</b>	RAL 9016	<b>1970</b>	<b>2220</b>
		<b>WOOD</b>	RAL 9016	<b>2020</b>	<b>2270</b>
	<ul style="list-style-type: none"> <li>● Smooth sheet</li> <li>● Stainless steel handle H45R-500</li> <li>● Escutcheon ESC-2</li> <li>● Lock cylinder CWA</li> <li>● Lever handle HL</li> <li>● Lock L3P</li> <li>● Brushed aluminium appliqué</li> </ul>	RAL 7016	RAL 9016	<b>1790</b>	<b>2040</b>
		RAL 9016	RAL 9016		
		<b>RAL</b>	RAL 9016	<b>1970</b>	<b>2220</b>
		<b>WOOD</b>	RAL 9016	<b>2020</b>	<b>2270</b>
	<ul style="list-style-type: none"> <li>● Smooth sheet</li> <li>● Stainless steel handle H45R-500</li> <li>● Escutcheon ESC-2</li> <li>● Lock cylinder CWA</li> <li>● Lever handle HL</li> <li>● Lock L3P</li> <li>● Brushed aluminium appliqué</li> </ul>	RAL 7016	RAL 9016	<b>1790</b>	<b>2040</b>
		RAL 9016	RAL 9016		
		<b>RAL</b>	RAL 9016	<b>1970</b>	<b>2220</b>
		<b>WOOD</b>	RAL 9016	<b>2020</b>	<b>2270</b>
	<ul style="list-style-type: none"> <li>● Smooth sheet</li> <li>● Stainless steel handle H45R-500</li> <li>● Escutcheon ESC-2</li> <li>● Lock cylinder CWA</li> <li>● Lever handle HL</li> <li>● Lock L3P</li> <li>● Brushed aluminium appliqué</li> </ul>	RAL 7016	RAL 9016	<b>1700</b>	<b>1950</b>
		RAL 9016	RAL 9016		
		<b>RAL</b>	RAL 9016	<b>1880</b>	<b>2130</b>
		<b>WOOD</b>	RAL 9016	<b>1930</b>	<b>2180</b>

Internal door side is plain. Windows are with brushed aluminium appliqué on both sides of the leaf. Wood image: Golden Oak, Old Oak. Please note that colours depicted for guidance only. Please use official printed materials for accurate colour.

Doors with dark outside surface exposed to direct sunlight may malfunction due to material thermal expansion (bi-metal effect). Please take in to account building orientation. Please choose light colours or install sufficient canopy to protect door from direct sunlight.

**STANDARD OPTIONS:**

● 3 point lock L3P ● Lock cylinder CWA ● Escutcheon ESC2 ● Inside handle HLW ● Standard handle H45R - 500 or H45S - 500 ● External RAL7016 or RAL9016 20% gloss, RAL7016 fine structure or Anthracite TG68/80043 ● Internal paint gloss 20% ● Door handing: left or right ● Opening inside.

DESIGN	INCLUDING	COLOUR		STANDARD SIZES	MADE TO MEASURE
		EXT	INT	W1000 x H2100	W 850 ÷ 1250
				W1100 x H2100	H 1850 ÷ 2250
	<ul style="list-style-type: none"> <li>● Smooth sheet</li> <li>● Stainless steel handle H45R-500</li> <li>● Escutcheon ESC-2</li> <li>● Lock cylinder CWA</li> <li>● Lever handle HL</li> <li>● Lock L3P</li> <li>● Brushed aluminium appliqué</li> </ul>	RAL 7016	RAL 9016	<b>1790</b>	<b>2040</b>
		RAL 9016	RAL 9016		
		<b>RAL</b>	RAL 9016	<b>1970</b>	<b>2220</b>
		<b>WOOD</b>	RAL 9016	<b>2020</b>	<b>2270</b>
	<ul style="list-style-type: none"> <li>● Smooth sheet</li> <li>● Stainless steel handle H45R-500</li> <li>● Escutcheon ESC-2</li> <li>● Lock cylinder CWA</li> <li>● Lever handle HL</li> <li>● Lock L3P</li> <li>● House number brushed aluminium appliqué</li> </ul>	RAL 7016	RAL 9016	<b>1700</b>	<b>1950</b>
		RAL 9016	RAL 9016		
		<b>RAL</b>	RAL 9016	<b>1880</b>	<b>2130</b>
		<b>WOOD</b>	RAL 9016	<b>1930</b>	<b>2180</b>
	<ul style="list-style-type: none"> <li>● Smooth sheet</li> <li>● Stainless steel handle H45R-500</li> <li>● Escutcheon ESC-2</li> <li>● Lock cylinder CWA</li> <li>● Lever handle HL</li> <li>● Lock L3P</li> <li>● Brushed aluminium appliqué</li> </ul>	RAL 7016	RAL 9016	<b>1700</b>	<b>1950</b>
		RAL 9016	RAL 9016		
		<b>RAL</b>	RAL 9016	<b>1880</b>	<b>2130</b>
		<b>WOOD</b>	RAL 9016	<b>1930</b>	<b>2180</b>
	<ul style="list-style-type: none"> <li>● Smooth sheet</li> <li>● Stainless steel handle H45R-500</li> <li>● Escutcheon ESC-2</li> <li>● Lock cylinder CWA</li> <li>● Lever handle HL</li> <li>● Lock L3P</li> <li>● Brushed aluminium appliqué</li> </ul>	RAL 7016	RAL 9016	<b>1700</b>	<b>1950</b>
		RAL 9016	RAL 9016		
		<b>RAL</b>	RAL 9016	<b>1880</b>	<b>2130</b>
		<b>WOOD</b>	RAL 9016	<b>1930</b>	<b>2180</b>
	<ul style="list-style-type: none"> <li>● Smooth sheet</li> <li>● Stainless steel handle H45R-500</li> <li>● Escutcheon ESC-2</li> <li>● Lock cylinder CWA</li> <li>● Lever handle HL</li> <li>● Lock L3P</li> <li>● Brushed aluminium appliqué</li> <li>● Triple glazed unit:                             <ul style="list-style-type: none"> <li>P4A-outside</li> <li>P4A-inside</li> <li>Clear SGC</li> </ul> </li> <li>● Clear view 130x1300</li> </ul>	RAL 7016	RAL 9016	<b>2180</b>	<b>2430</b>
		RAL 9016	RAL 9016		
		<b>RAL</b>	RAL 9016	<b>2360</b>	<b>2610</b>
		<b>WOOD</b>	RAL 9016	<b>2410</b>	<b>2660</b>



Internal door side is plain. Windows are with brushed aluminium appliqué on both sides of the leaf. Wood image: Golden Oak, Old Oak. Please note that colours depicted for guidance only. Please use official printed materials for accurate colour.

Doors with dark outside surface exposed to direct sunlight may malfunction due to material thermal expansion (bi-metal effect). Please take in to account building orientation. Please choose light colours or install sufficient canopy to protect door from direct sunlight.

# RD65 Design

## STANDARD OPTIONS:






● 3 point lock L3P ● Lock cylinder CWA ● Escutcheon ESC2 ● Inside handle HLW ● Standard handle H45R - 500 or H45S - 500 ● External RAL7016 or RAL9016 20% gloss, RAL7016 fine structure or Anthracite TG68/80043 ● Internal paint gloss 20% ● Door handing: left or right ● Opening inside.

DESIGN	INCLUDING	COLOUR		STANDARD SIZES	MADE TO MEASURE
		EXT	INT	W1000 x H2100	W 850 ÷ 1250
				W1100 x H2100	H 1850 ÷ 2250
	<ul style="list-style-type: none"> <li>● Smooth sheet</li> <li>● Stainless steel handle H45R-500</li> <li>● Escutcheon ESC-2</li> <li>● Lock cylinder CWA</li> <li>● Lever handle HL</li> <li>● Lock L3P</li> <li>● Brushed aluminium appliqué</li> <li>● Triple glazed unit:                             <ul style="list-style-type: none"> <li>P4A-outside</li> <li>P4A-inside</li> <li>Clear SGC</li> </ul> </li> <li>● Clear view 160x1600</li> </ul>	RAL 7016	RAL 9016	<b>2330</b>	<b>2580</b>
		RAL 9016	RAL 9016		
		<b>RAL</b>	RAL 9016	<b>2510</b>	<b>2760</b>
		<b>WOOD</b>	RAL 9016	<b>2560</b>	<b>2810</b>
	<ul style="list-style-type: none"> <li>● Smooth sheet</li> <li>● Stainless steel handle H45R-500</li> <li>● Escutcheon ESC-2</li> <li>● Lock cylinder CWA</li> <li>● Lever handle HL</li> <li>● Lock L3P</li> <li>● Brushed aluminium appliqué</li> <li>● Triple glazed unit:                             <ul style="list-style-type: none"> <li>P4A-outside</li> <li>P4A-inside</li> <li>Clear SGC</li> </ul> </li> <li>● Clear view 130x1300</li> </ul>	RAL 7016	RAL 9016	<b>2330</b>	<b>2580</b>
		RAL 9016	RAL 9016		
		<b>RAL</b>	RAL 9016	<b>2510</b>	<b>2760</b>
		<b>WOOD</b>	RAL 9016	<b>2560</b>	<b>2810</b>
	<ul style="list-style-type: none"> <li>● Smooth sheet</li> <li>● Stainless steel handle H45R-500</li> <li>● Escutcheon ESC-2</li> <li>● Lock cylinder CWA</li> <li>● Lever handle HL</li> <li>● Lock L3P</li> <li>● Brushed aluminium appliqué</li> <li>● Triple glazed unit:                             <ul style="list-style-type: none"> <li>P4A-outside</li> <li>P4A-inside</li> <li>Clear SGC</li> </ul> </li> <li>● Clear view 130x1300</li> </ul>	RAL 7016	RAL 9016	<b>2180</b>	<b>2430</b>
		RAL 9016	RAL 9016		
		<b>RAL</b>	RAL 9016	<b>2360</b>	<b>2610</b>
		<b>WOOD</b>	RAL 9016	<b>2410</b>	<b>2660</b>
	<ul style="list-style-type: none"> <li>● Smooth sheet</li> <li>● Stainless steel handle H45R-500</li> <li>● Escutcheon ESC-2</li> <li>● Lock cylinder CWA</li> <li>● Lever handle HL</li> <li>● Lock L3P</li> <li>● Brushed aluminium appliqué</li> <li>● Triple glazed unit:                             <ul style="list-style-type: none"> <li>P4A-outside</li> <li>P4A-inside</li> <li>Clear SGC</li> </ul> </li> <li>● Clear view 160x1600</li> </ul>	RAL 7016	RAL 9016	<b>2330</b>	<b>2580</b>
		RAL 9016	RAL 9016		
		<b>RAL</b>	RAL 9016	<b>2510</b>	<b>2760</b>
		<b>WOOD</b>	RAL 9016	<b>2560</b>	<b>2810</b>
	<ul style="list-style-type: none"> <li>● Smooth sheet</li> <li>● Stainless steel handle H45R-500</li> <li>● Escutcheon ESC-2</li> <li>● Lock cylinder CWA</li> <li>● Lever handle HL</li> <li>● Lock L3P</li> <li>● Brushed aluminium appliqué</li> <li>● Triple glazed unit:                             <ul style="list-style-type: none"> <li>P4A-outside</li> <li>P4A-inside</li> <li>Clear SGC</li> </ul> </li> <li>● Clear view 600x100</li> </ul>	RAL 7016	RAL 9016	<b>2400</b>	<b>2650</b>
		RAL 9016	RAL 9016		
		<b>RAL</b>	RAL 9016	<b>2580</b>	<b>2830</b>
		<b>WOOD</b>	RAL 9016	<b>2630</b>	<b>2880</b>

Internal door side is plain. Windows are with brushed aluminium appliqué on both sides of the leaf. Wood image: Golden Oak, Old Oak. Please note that colours depicted for guidance only. Please use official printed materials for accurate colour. Doors with dark outside surface exposed to direct sunlight may malfunction due to material thermal expansion (bi-metal effect). Please take in to account building orientation. Please choose light colours or install sufficient canopy to protect door from direct sunlight.

**STANDARD OPTIONS:**

● 3 point lock L3P ● Lock cylinder CWA ● Escutcheon ESC2 ● Inside handle HLW ● Standard handle H45R - 500 or H45S - 500 ● External RAL7016 or RAL9016 20% gloss, RAL7016 fine structure or Anthracite TG68/80043 ● Internal paint gloss 20% ● Door handing: left or right ● Opening inside.

DESIGN	INCLUDING	COLOUR		STANDARD SIZES	MADE TO MEASURE
		EXT	INT	W1000 x H2100	W 850 ÷ 1250
				W1100 x H2100	H 1850 ÷ 2250
	<ul style="list-style-type: none"> <li>Smooth sheet</li> <li>Stainless steel handle H45R-500</li> <li>Escutcheon ESC-2</li> <li>Lock cylinder CWA</li> <li>Lever handle HL</li> <li>Lock L3P</li> <li>Brushed aluminium appliqué</li> <li>Triple glazed unit:                             <ul style="list-style-type: none"> <li>P4A-outside</li> <li>P4A-inside</li> <li>Clear SGC</li> </ul> </li> <li>Windows "Arc"</li> </ul>	RAL 7016	RAL 9016	<b>2600</b>	<b>2850</b>
		RAL 9016	RAL 9016		
		RAL	RAL 9016	<b>2780</b>	<b>3030</b>
		WOOD	RAL 9016	<b>2830</b>	<b>3080</b>
	<ul style="list-style-type: none"> <li>Smooth sheet</li> <li>Stainless steel handle H45R-500</li> <li>Escutcheon ESC-2</li> <li>Lock cylinder CWA</li> <li>Lever handle HL</li> <li>Lock L3P</li> <li>Brushed aluminium appliqué</li> <li>Triple glazed unit:                             <ul style="list-style-type: none"> <li>P4A-outside</li> <li>P4A-inside</li> <li>Clear SGC</li> </ul> </li> <li>Clear view 250x250</li> </ul>	RAL 7016	RAL 9016	<b>2400</b>	<b>2650</b>
		RAL 9016	RAL 9016		
		RAL	RAL 9016	<b>2580</b>	<b>2830</b>
		WOOD	RAL 9016	<b>2630</b>	<b>2880</b>
	<ul style="list-style-type: none"> <li>Smooth sheet</li> <li>Stainless steel handle H45R-500</li> <li>Escutcheon ESC-2</li> <li>Lock cylinder CWA</li> <li>Lever handle HL</li> <li>Lock L3P</li> <li>Brushed aluminium appliqué</li> <li>Triple glazed unit:                             <ul style="list-style-type: none"> <li>P4A-outside</li> <li>P4A-inside</li> <li>Clear SGC (SGT not available)</li> </ul> </li> <li>Clear view 150x150</li> </ul>	RAL 7016	RAL 9016	<b>2400</b>	<b>2650</b>
		RAL 9016	RAL 9016		
		RAL	RAL 9016	<b>2580</b>	<b>2830</b>
		WOOD	RAL 9016	<b>2630</b>	<b>2880</b>
	<ul style="list-style-type: none"> <li>Smooth sheet</li> <li>Stainless steel handle H45R-500</li> <li>Escutcheon ESC-2</li> <li>Lock cylinder CWA</li> <li>Lever handle HL</li> <li>Lock L3P</li> <li>Brushed aluminium appliqué</li> <li>Triple glazed unit:                             <ul style="list-style-type: none"> <li>P4A-outside</li> <li>P4A-inside</li> <li>Clear SGC (SGT not available)</li> </ul> </li> <li>Clear view 150x150</li> </ul>	RAL 7016	RAL 9016	<b>2400</b>	<b>2650</b>
		RAL 9016	RAL 9016		
		RAL	RAL 9016	<b>2580</b>	<b>2830</b>
		WOOD	RAL 9016	<b>2630</b>	<b>2880</b>
	<ul style="list-style-type: none"> <li>Smooth sheet</li> <li>Stainless steel handle H45R-500</li> <li>Escutcheon ESC-2</li> <li>Lock cylinder CWA</li> <li>Lever handle HL</li> <li>Lock L3P</li> <li>Brushed aluminium appliqué</li> <li>Triple glazed unit:                             <ul style="list-style-type: none"> <li>P4A-outside</li> <li>P4A-inside</li> <li>Clear SGC</li> </ul> </li> <li>Clear view 600x100</li> </ul>	RAL 7016	RAL 9016	<b>2400</b>	<b>2650</b>
		RAL 9016	RAL 9016		
		RAL	RAL 9016	<b>2580</b>	<b>2830</b>
		WOOD	RAL 9016	<b>2630</b>	<b>2880</b>

Internal door side is plain. Windows are with brushed aluminium appliqué on both sides of the leaf. Wood image: Golden Oak, Old Oak. Please note that colours depicted for guidance only. Please use official printed materials for accurate colour.

Doors with dark outside surface exposed to direct sunlight may malfunction due to material thermal expansion (bi-metal effect). Please take in to account building orientation. Please choose light colours or install sufficient canopy to protect door from direct sunlight.


# RD65 Design

## STANDARD OPTIONS:

● 3 point lock **L3P** ● Lock cylinder **CWA** ● Escutcheon **ESC2** ● Inside handle **HLW** ● Standard handle **H45R - 500** or **H45S - 500** ● External **RAL7016** or **RAL9016 20% gloss**, **RAL7016 fine structure** or **Anthracite TG68/80043** ● Internal paint gloss 20% ● Door handing: left or right ● Opening inside.

DESIGN	INCLUDING	COLOUR		STANDARD SIZES	MADE TO MEASURE
		EXT	INT	W1000 x H2100 W1100 x H2100	W 850 ÷ 1250 H 1850 ÷ 2250
120 	<ul style="list-style-type: none"> <li>Smooth sheet</li> <li>Stainless steel handle H45R-500</li> <li>Escutcheon ESC-2</li> <li>Lock cylinder CWA</li> <li>Lever handle HL</li> <li>Lock L3P</li> <li>Brushed aluminium appliqué</li> <li>Triple glazed unit:                             <ul style="list-style-type: none"> <li>P4A-outside</li> <li>P4A-inside</li> <li>Clear SGC</li> </ul> </li> <li>Windows "Arc"</li> </ul>	RAL 7016	RAL 9016	<b>2600</b>	<b>2850</b>
		RAL 9016	RAL 9016		
		<b>RAL</b>	RAL 9016	<b>2780</b>	<b>3030</b>
		<b>WOOD</b>	RAL 9016	<b>2830</b>	<b>3080</b>
121 	<ul style="list-style-type: none"> <li>Smooth sheet</li> <li>Stainless steel handle H45R-500</li> <li>Escutcheon ESC-2</li> <li>Lock cylinder CWA</li> <li>Lever handle HL</li> <li>Lock L3P</li> <li>Brushed aluminium appliqué</li> <li>Triple glazed unit:                             <ul style="list-style-type: none"> <li>P4A-outside</li> <li>P4A-inside</li> <li>Clear SGC</li> </ul> </li> <li>Windows "Arc"</li> </ul>	RAL 7016	RAL 9016	<b>2600</b>	<b>2850</b>
		RAL 9016	RAL 9016		
		<b>RAL</b>	RAL 9016	<b>2780</b>	<b>3030</b>
		<b>WOOD</b>	RAL 9016	<b>2830</b>	<b>3080</b>
122 	<ul style="list-style-type: none"> <li>Smooth sheet</li> <li>Stainless steel handle H45R-500</li> <li>Escutcheon ESC-2</li> <li>Lock cylinder CWA</li> <li>Lever handle HL</li> <li>Lock L3P</li> <li>Brushed aluminium appliqué</li> <li>Triple glazed unit:                             <ul style="list-style-type: none"> <li>P4A-outside</li> <li>P4A-inside</li> <li>Clear SGC</li> </ul> </li> <li>Windows "Arc"</li> </ul>	RAL 7016	RAL 9016	<b>2600</b>	<b>2850</b>
		RAL 9016	RAL 9016		
		<b>RAL</b>	RAL 9016	<b>2780</b>	<b>3030</b>
		<b>WOOD</b>	RAL 9016	<b>2830</b>	<b>3080</b>
123 	<ul style="list-style-type: none"> <li>Smooth sheet</li> <li>Stainless steel handle H45R-500</li> <li>Escutcheon ESC-2</li> <li>Lock cylinder CWA</li> <li>Lever handle HL</li> <li>Lock L3P</li> <li>Brushed aluminium appliqué</li> <li>Triple glazed unit:                             <ul style="list-style-type: none"> <li>P4A-outside</li> <li>P4A-inside</li> <li>Clear SGC</li> </ul> </li> <li>Windows "Arc"</li> </ul>	RAL 7016	RAL 9016	<b>2600</b>	<b>2850</b>
		RAL 9016	RAL 9016		
		<b>RAL</b>	RAL 9016	<b>2780</b>	<b>3030</b>
		<b>WOOD</b>	RAL 9016	<b>2830</b>	<b>3080</b>
● <b>INDIVIDUAL DESIGN</b>				<b>consult manufacturer</b>	
		Open to outside		<b>150</b>	

## KICK PLATE



<b>Kick plate</b>	<b>90</b>
<b>House number</b> Height- 150 mm Font- Arial	<b>100</b>

Internal door side is plain. Windows are with brushed aluminium appliqué on both sides of the leaf. Wood image: Golden Oak, Old Oak. Please note that colours depicted for guidance only. Please use official printed materials for accurate colour.

Doors with dark outside surface exposed to direct sunlight may malfunction due to material thermal expansion (bi-metal effect). Please take in to account building orientation. Please choose light colours or install sufficient canopy to protect door from direct sunlight.



## ETCHED EFFECT DECORATION IN DOOR LEAF GLAZING

DESIGN					INCLUDING	SIZE	PRICE
A	B	C	D	E			
					• 2÷7 strips	130x1300	85
						160x1600	
						160x1600	
						230x1343	
						150x150	45
						250x250	

## CUSTOM ETCHED EFFECT DECORATION IN DOOR LEAF GLAZING



Custom design available

consult  
manufacturer



## CUSTOM SIZE DOOR LEAF GLAZING



Custom size available

consult  
manufacturer


## GLAZING CLEAR VIEW SIZE



\*Minimum width for brushed aluminium decor

# RD65 Glazing


## SIDE AND TOP ELEMENTS WITH TRIPLE SAFETY GLAZING



## MADE TO MEASURE



SIDE	COLOUR		SIZES		
	EXT	INT	W 400÷600	W 601÷800	W 801÷1000
	RAL 7016	RAL 9016	750	950	1140
	RAL 9016	RAL 9016			
	<b>RAL</b>	RAL 9016	880	1080	1270
	<b>WOOD</b>	RAL 9016	930	1130	1320

TOP	COLOUR		HEIGHT (mm)	WIDTH (mm)									
	EXT	INT		1000÷1100	1101÷1700	1701÷2100	2101÷2600	2601÷3250					
	RAL 7016	RAL 9016	400-600	440	600	750	960	1160					
	RAL 9016	RAL 9016											
	<b>RAL</b>	RAL 9016							570	730	880	1090	1290
	<b>WOOD</b>	RAL 9016							620	780	930	1140	1340
	EXT	INT		1000÷1100	1101÷1700	1701÷2100	2101÷2600	2601÷3250					
	RAL 7016	RAL 9016	601-800	570	820	1140	1260	1420					
	RAL 9016	RAL 9016											
	<b>RAL</b>	RAL 9016							700	950	1270	1390	1550
	<b>WOOD</b>	RAL 9016							750	1000	1320	1440	1600
	EXT	INT		1000÷1100	1101÷1700	1701÷2100	2101÷2600	2601÷3250					
	RAL 7016	RAL 9016	801-1000	750	1030	1270	1590	1900					
	RAL 9016	RAL 9016											
<b>RAL</b>	RAL 9016	880							1160	1400	1720	2030	
<b>WOOD</b>	RAL 9016	930							1210	1450	1770	2080	





**Triple glazing**  
Clear view is 150 mm less than element's overall frame width and height


## ETCHED EFFECT GLAZING

I	J
	
<b>For side elements</b>	
W 400÷600	<b>170</b>
W 601÷800	<b>230</b>
W 801÷1000	<b>290</b>
<b>For top elements</b>	
W 1000÷1250	<b>85</b>
W 1251÷1700	<b>115</b>
W 1701÷3250	<b>145</b>

## CUSTOM ETCHED EFFECT GLAZING

K	L
	
Custom design available	
<b>+30%*</b>	
<b>*Add To side and top elements price</b>	

## STANDARD SAFETY GLAZING OPTIONS



Clear **SGC**

Matt **SGM**

## NON-STANDARD SAFETY GLAZING OPTIONS



Similar to Delta Nr. 121

Chinchilla

Kathedral Klein

Similar to Silvit Nr. 118

Crepi



Tinted **SGT**

	PRICE
In door leaf	<b>85</b>
Side element	<b>+20%</b>



Notes

# RD65 Specifications

## DOOR FRAME WIDTH





Daylight opening Width is 150mm less than overall frame Width.



Daylight opening Height is 95mm less than overall frame Height.  
Bottom clearance 7mm.



## ADD-ON BOTTOM PROFILES



Add on bottom profiles.  
15 mm and 30 mm height.  
Can be combined in series..  
15mm+30mm+30mm.....

BOTTOM PROFILES	PRICE 1m
15x70 (mm)	19
30x65 (mm)	37


## ADD-ON SIDE PROFILES




SIDE PROFILES	PRICE per 1 m STD*/custom colour
30x70 (mm)	52 / 61
50x70 (mm)	86 / 100

\*STD colour - RAL9016 or RAL7016


## OFS & DAYLIGHT OPENING



## HINGES











## OPEN LEAF 90°



## Notes

# RD65 Accessories


## LEVER HANDLES / KNOB HANDLES

					PRICE	
					inside	SET
					<b>HL-W/B (Lever handle) black, white</b>	<b>STD 30</b>
<b>HL</b>	<b>HK</b>	<b>HLA</b>	<b>HLS 01</b>	<b>HLS 02</b>	<b>HK-W/B (Knob handle SET) black, white</b>	<b>- 100</b>
					<b>HLS 03 (Aluminium handle)</b>	<b>30 60</b>
<b>HLS 03</b>	<b>HLS 04</b>	<b>HLS 05</b>	<b>HLS 06</b>	<b>HLS 07</b>	<b>HLS 01 (Stainless steel)</b>	<b>90 180</b>
					<b>HLS 02, HLS 03, HLS 04, HLS 05, HLS 06 (Stainless steel)</b>	<b>125 250</b>
					<b>HLS 07 (Aluminium handle with stainless steel)</b>	<b>- 155</b>

## STAINLESS STEEL HANDLES



<b>∅ 30mm 45° fine matt polished</b>	PRICE
<b>H45R-500 (H 500 mm)</b>	<b>STD</b>
<b>H45R-800 (H 800 mm)</b>	<b>110</b>
<b>H45R-1200 (H 1200 mm)</b>	<b>130</b>



<b>30x20 mm 45° fine matt polished</b>	PRICE
<b>H45S-500 (H 500 mm)</b>	<b>STD</b>
<b>H45S-800 (H 800 mm)</b>	<b>110</b>
<b>H45S-1200 (H 1200 mm)</b>	<b>130</b>

## ESCUTCHEON



	PRICE
<b>ESC-2</b>	<b>STD</b>
<b>ESC-1</b>	<b>35</b>

Notes

## LOCK CYLINDER



Lock cylinder with 5 keys included



CWA+TT




AK

	PRICE
<p><b>CWA</b> Safety CLASS A</p> <ol style="list-style-type: none"> <li>Housing and cylinder pins: brass and hardened steel</li> <li>Special housing pins against picking                             <ul style="list-style-type: none"> <li>The highest level of security key code 6 according to EN 1303: 2007</li> <li>Basic level of resistance A according to PN-91/B-94461/02</li> <li>The highest durability 6 according to EN 1303:2007 – 100.000 cycles</li> </ul> </li> <li>Certificate EN 1627:2000 – RC3</li> <li>Approval for use in fire-resistant doors</li> </ol>	<b>STD</b>
<p><b>CWB</b> Safety CLASS B</p> <ol style="list-style-type: none"> <li>Housing and cylinder pins: brass and hardened steel</li> <li>Special housing pins against picking</li> <li>Hardened steel pins as housing drilling protection</li> <li>Hardened steel pins as cylinder drilling protection                             <ul style="list-style-type: none"> <li>The highest level of security key code 6 according to EN 1303: 2007</li> <li>The highest level of resistance against attack 2 according to EN 1303: 2007</li> <li>High level of resistance B according to PN-91/B-94461/02</li> <li>The highest durability 6 according to EN 1303:2007 – 100.000 cycles</li> </ul> </li> <li>Certificate EN 1627:2000 – RC3</li> <li>Approval for use in fire-resistant doors</li> </ol>	<b>98</b>
<p><b>CWC</b> Safety CLASS C</p> <ol style="list-style-type: none"> <li>Housing and cylinder pins: brass and hardened steel</li> <li>Special housing pins against picking</li> <li>Hardened steel pins as housing drilling protection</li> <li>Hardened steel pins as cylinder drilling protection                             <ul style="list-style-type: none"> <li>The highest level of security key code 6 according to EN 1303: 2007</li> <li>The highest level of resistance against attack 2 according to EN 1303: 2007</li> <li>The highest level of resistance C according to PN-91/B-94461/02</li> <li>The highest durability 6 according to EN 1303:2007 – 100.000 cycles</li> </ul> </li> <li>Certificate EN 1627:2000 – RC4</li> <li>Approval for use in fire-resistant doors</li> <li>Paracentric key profile</li> <li>Keys duplication only in the authorized services</li> <li>Security card</li> </ol>	<b>108</b>
<p><b>CWA+TT</b> (with thumb turn) Safety CLASS A</p>	<b>90</b>
<p><b>AK</b> Additional key</p>	<b>18</b>

## Notes

# RD65 Accessories

## KEY OPERATED MULTI POINT LOCKS



	PRICE
<b>L3P</b> 3 point multi-point lock. Main lock deadbolt and hook bolts operated by the key.	STD
<b>L5P</b> 5 point multi-point lock. Two round latch bolts lock the leaf on closure automatically and opens by the key. Deadbolt and hook bolts operated by the key.	90
<b>L3P+D&amp;N</b> 3 point multi-point lock with option to temporarily disable self-locking. Main deadbolt and hook bolts operated by the key.	138
<b>*L3P+D&amp;N+EM</b> 3 point multi-point lock with electric latch and option to temporarily disable self-locking. Main lock deadbolt and hook bolts operated by the key.	168
<b>*L5PMA</b> 5 point multi-point lock. Round latch and hook bolts lock the leaf on closure automatically. Deadbolt operated by the key only. If deadbolt is engaged automatic unlocking is disabled. All latches open by electric drive when turning the key or pressing lever handle. Lock can be connected to finger-scanner or keypad (optional)	580
<b>*L5PA</b> 5 point multi-point lock with all latches and deadbolt operated by electric drive. Locks automatically when closing the door. All latches and deadbolt open by electric drive when turning the key or pressing lever handle. Not compatible with lever handle from outside, pull handle only. Lock can be connected to finger-scanner and keypad (optional)	1380
<b>L5P + panic function</b> 5 point multi-point lock. Round latch bolts and hook bolts lock the leaf on closure automatically. Deadbolt is locked by the key. All latches and deadbolt are unlocked by pressing inside handle.	980



HOOK BOLT SWITCH CONTACT	PRICE
For monitoring the door locking status. Connected to house alarm system.	215

\*AC/DC transformer is not included

## FINGER SCANNERS



	PRICE
<b>FSC1</b> (ekey ARTE)	1680
<b>FSC2</b> (ekey INTEGRA)	1680
<b>FSC3</b> (Sommer 4 channel radio technology)	698

## KEYPADS



	PRICE
<b>KP2</b>	1680
<b>KP3</b>	1680



## ACCESSORIES



	PRICE
Power supply (24V-2.5A)	90



RMT1


	PRICE
Remote handset RMT1 (Compatible with FSC3)	68



	PRICE
Spyhole	38



	PRICE
Electric door viewer LCD screen: 3,2" Power source: 2xAAA Batteries	160



	PRICE
Door closer (Geze TS5000)	295




	PRICE
Door installation tapes: - sealing tape, 70mm width, 5,6m length; - pre-compressed sealing tape, 15mm width, for 5-15mm groove, 5,6m length.	30



	PRICE
Fitting screws 7.5x182 (14pcs)	12




	PRICE
Anchor plates set (12 pcs)	35



	PRICE
Aluminium molding profile door colour 2x2300mm; 1x1300mm.	40/set
Aluminium molding profile door colour 2x2300mm; 1x1300mm.	59/set
Aluminium molding profile door colour 2x2300mm; 1x1300mm.	74/set
Aluminium molding profile door colour 2x2300mm; 1x1300mm.	107/set



	PRICE
Stainless steel care kit	29



# Entry Doors RD 65

## Order form

Valid from 01/05/2019

Date: \_\_\_\_\_

### Client

Name/Company \_\_\_\_\_

Street \_\_\_\_\_

Location/Zip Code \_\_\_\_\_

Phone \_\_\_\_\_

Reference \_\_\_\_\_

Delivery week \_\_\_\_\_

### Delivery address

### Design

Door design Number (from RD65 catalogue) \_\_\_\_\_


Customer's own design (add your drawing to order) \_\_\_\_\_

### Measures

Frame width, mm: \_\_\_\_\_

Frame height, mm: \_\_\_\_\_

Hinges from inside, opening to inside  
(For opening to outside please consult manufacturer)



Quantity \_\_\_\_\_

### Colours external/internal

RAL7016 / RAL9016 \_\_\_\_\_

RAL9016 / RAL9016 \_\_\_\_\_

External RAL \_\_\_\_\_

Wood image  Gold Oak  Old Oak

Open to outside \_\_\_\_\_




Kick plate  Smooth  Decor

### Lever handles



HL	HK	HLS 05	HLS 04	HLS 03	HLS 02	HLS 01	HLS 00
White	Black	In	Out	In	Out	In	Out
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
In	Out	In	Out	In	Out	In	Out
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

HLS 06	HLS 07
In	In
Out	Out
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>

### Stainless steel handles

	<input type="checkbox"/>	H45R-500	<input type="checkbox"/>
	<input type="checkbox"/>	H45R-800	<input type="checkbox"/>
	<input type="checkbox"/>	H45R-1200	<input type="checkbox"/>

### Escutcheon

	<input type="checkbox"/>	ESC-1	<input type="checkbox"/>
	<input type="checkbox"/>	ESC-2	<input type="checkbox"/>

### Lock cylinder

CWA <input type="checkbox"/>	CWB <input type="checkbox"/>	CWC <input type="checkbox"/>	CWA+TT <input type="checkbox"/>	AK <input type="checkbox"/>
------------------------------	------------------------------	------------------------------	---------------------------------	-----------------------------

### Locks

L3P <input type="checkbox"/>	L5P <input type="checkbox"/>
L3P+D&N <input type="checkbox"/>	L5PMA <input type="checkbox"/>
L3P+D&N +EM <input type="checkbox"/>	L5PA <input type="checkbox"/>
L5P+panic function <input type="checkbox"/>	Bolt switch contact <input type="checkbox"/>

### Finger scanners

FSC1 (ekey) <input type="checkbox"/>	Keyboards <input type="checkbox"/>	Remote Control <input type="checkbox"/>
FSC2 (ekey) <input type="checkbox"/>	KP2 <input type="checkbox"/>	RMT1 <input type="checkbox"/>
FSC3 (Sommer) <input type="checkbox"/>	KP3 <input type="checkbox"/>	

### Accessories

Power supply <input type="checkbox"/>	Fitting screws <input type="checkbox"/>
Spyhole <input type="checkbox"/>	Anchor plates <input type="checkbox"/>
Electric door viewer <input type="checkbox"/>	Aluminium moldings <input type="checkbox"/>
Door closer <input type="checkbox"/>	20x2 <input type="checkbox"/>
Door installation tapes <input type="checkbox"/>	30x2 <input type="checkbox"/>
	40x2 <input type="checkbox"/>
	50x2 <input type="checkbox"/>
	Stainless steel care kit <input type="checkbox"/>

### Etched effect decoration in door leaf glazing

A <input type="checkbox"/>	B <input type="checkbox"/>	C <input type="checkbox"/>	D <input type="checkbox"/>	E <input type="checkbox"/>	F <input type="checkbox"/>	G <input type="checkbox"/>	H <input type="checkbox"/>
----------------------------	----------------------------	----------------------------	----------------------------	----------------------------	----------------------------	----------------------------	----------------------------

Standard  Custom

### Custom size door leaf glazing

Custom \_\_\_\_\_

### Standard safety glazing options in door leaf

Clear SGC  Matt SGM

### Non-Standard safety glazing options in door leaf

Nr. 121 <input type="checkbox"/>	Chinchilla <input type="checkbox"/>	Kathedral Klein <input type="checkbox"/>
Nr. 118 <input type="checkbox"/>	Crepi <input type="checkbox"/>	Patterned SGP <input type="checkbox"/>
		Tinted SGT <input type="checkbox"/>

### Side elements/windows

TOP window	Frame width, mm: _____
	Frame height, mm: _____
RIGHT window	Frame width, mm: _____
	Frame height, mm: _____
LEFT window	Frame width, mm: _____
	Frame height, mm: _____

### Side elements etched effect glazing

Standard  Custom

### Standard side elements glazing options


Clear SGC  Matt SGM

### Non-Standard side elements glazing options

Nr. 121 <input type="checkbox"/>	Chinchilla <input type="checkbox"/>	Kathedral Klein <input type="checkbox"/>
Nr. 118 <input type="checkbox"/>	Crepi <input type="checkbox"/>	Patterned SGP <input type="checkbox"/>
		Tinted SGT <input type="checkbox"/>

### Add-on side profiles

30x70	Profile size, mm
Quantity _____	Painted in RAL _____



### Add-on bottom profiles

15x70	Profile size, mm
Quantity _____	Painted in RAL _____

